Sensors Technology (SST)

»ÃÐÇÑµÔ (Background)

»Ñ¨¨ØºÑ¹ÁÕà¤Ã×èÍ§Á×ÍáÅÐÇÔ¸Õ¡ÒÃËÅÒ¡ËÅÒÂ¤¹Ô´ ÊÓËÃÑº¡ÒÃÇÔà¤ÃÒÐËì¤Ø³ÀÒ¾áÅÐ»ÃÔÁÒ³ÊÒÃà¤ÁÔ¤ÑÅà«¹à«ÍÃì à
ËÅÑ¡¡ÒÃÊÓ¤Ñ-¢Í§à¤ÁÔ¤ÑÅà«¹à«ÍÃìáÅÐäºâÍà«¹à«ÍÃì¤Í¡ÒÃ·Ó»¯Ô¡ÔÃÔÂÔÍÂèÒ§ÇèÍ§äÇáÐ¨Óà¾ÒÐÃÐËÇèÒ§ÊÒÃà¤ÁÕ /
¡èÍãËéà¡Ô´ÊÑ--Ò³ áÅÐ¡ÒÃà»ÅÕèÂ¹á»Å§·ÕèµÃÇ¨ÇÑ´ä´é à ªè¹ ¡ÃÐáÊä¿¿éÒ ÍÔÍÍ¹ ¤ÇÒÁÃéÍ¹ ËÃ×ÍÁÇÅ â´Â¢¹Ò´¢Í§ÊÑ--Ò³ÁÕ¤Ç

Ëéí§»¯ÔºÑµÔ¡ÒÃÇÔ¨ÑÂ áÅÐ¾Ñ²¹Òà«¹à«ÍÃì·Ò§à¤ÁÕáÅÐªÕÇÀÒ¾ à»ç¹Ë¹èÇ§Ò¹Ë¹Öè§ã¹ R&D Cluster ÁËÒÇÔ·ÂÒÅÑÂà·¤
¨Ò¡¤³Ð·ÃÑ¾ÂÒ¡ÃªÕÇÀÒ¾áÅÐà·¤â¹âÅÂÕ áÅÐÊ¶ÒºÑ¹¾Ñ²¹ÒáÅÐ½Ö¡ÍºÃÁâÃ§§Ò¹µé¹áºº ÁËÒÇÔ·ÂÒÅÑÂà·¤â¹âÅÂÕ¾ÃÐ¨ÍÁà
ä´é·Ó¡ÒÃÇÔ¨ÑÂáÅÐ¾Ñ²¹ÒÇÔ¸Õ¡ÒÃ áÅÐà¤Ã×èÍ§Á×ÍÇÑ´·Ò§à¤ÁÕáÅÐªÕÇÀÒ¾à¾×èÍ»ÃÐâÂ¹ì·Ò§ÍØµÊÒËì¡ÃÃÁ ÍÒËÒÃ ÊÔè
¹Í¡¨Ò¡¡ÒÃÇÔ¨ÑÂáÅÐ¾Ñ²¹Òà¾×èÍ¹Óä»ÊÙè¼ÅÔµÀÑ³±ìáÅÐÇÔ¸Õ¡ÒÃ·ÕèÁÕ»ÃÐÊÔ·¸ÔÀÒ¾ Ë¹èÇ§Ò¹ä´éãËé¤ÇÒÁÊÓ¤Ñ-¡Ñº
·Ñé§¹Õéà¾×èÍàÊÃÔÁÊÃéÒ§¤ÇÒÁà¢éÒã¨àªÔ§ÇÔ·ÂÒ¡ÒÃ áÅÐ¹Óä»ÊÙèÍ§¤ì¤ÇÒÁÃÙé·ÕèÊÒÁÒÃ¶àª×èÍÁâÂ§¡Ñºà·¤â¹âÅÂÕ·
ÀÒÃ¡Ô¨ËÅÑ¡¹Í¡¨Ò¡àÊÃÔÁÊÃéÒ§Í§¤ì¤ÇÒÁÃÙéáÅÐ¼ÅÔµºÑ³±Ôµ·ÕèÁÕ¤ÇÒÁÃÙé¤ÇÒÁÊÒÁÒÃ¶ÅéÇ à»éÒËÉÁÒÂÊÓ¤Ñ-ÍÕ¡×
¡ÑºË¹èÇ§Ò¹ã¹ÀÒ¤ÍØµÊÒËì¡ÃÃÁ â´Â¡ÒÃ¶èÒÂ·Í´à·¤â¹âÅÂÕ áÅÐ¼ÅÔµÀÑ³±ìµé¹áººä»Â§Ë¹èÇ§Ò¹´Ñ§¡ÅèÒÇ à¾×èÍ¡ÒÃ¾Ñ²

ÇÑµ¶Ø»ÃÐÊ§¤ì (Aim)

-

à¾×èÍÊÃéÒ§§Ò¹ÇÔ¨ÑÂáÅÐ¾Ñ²¹Òà«¹à«ÍÃìà¤ÁÕáÅÐªÕÇÀÒ¾ãËéá¢ç§á¡Ãè§ à»ç¹·ÕèÂÍÁÃÑºã¹ÃÐ´Ñº¹Ò¹ÒªÒµÔ

-

à¾×èÍÊÃéÒ§¼ÅÔµÀÑ³±ìµé¹áºº áÅÐ¶èÒÂ·Í´à·¤â¹âÅÂÕÊÙèÀÒ¤ÍØµÊÒËì¡ÃÃÁàÁ×èÍÁÕ¤ÇÒÁ¾ÃéÍÁ

-

¾Ñ²¹ÒºØ¤ÅÒ¡Ã·ÕèÁÕ¤ÇÒÁÃÙé¤ÇÒÁÊÒÁÒÃ¶à¾×èÍàÊÃÔÁÊÃéÒ§¤ÇÒÁà¢éÁá¢ç§ã¹¡ÒÃÇÔ¨ÑÂáÅÐ¾Ñ²¹Ò

§Ò¹ÇÔ¨ÑÂáÅÐ¾Ñ²¹Ò·Õè´Óà¹Ô¹¡ÒÃ

1. äºâÍà«¹à«ÍÃì

-

à¤Ã×èÍ§µé¹áººáÅÐËÑÇÇÑ´¨ØÅÔ¹·ÃÕÂìÊÓËÃÑºµÃÇ¨ÇÑ´»ÃÔÁÒ³ºÕâÍ´

-

äºâÍà«¹à«ÍÃì¤Ô´¾ÔÁ¾ìÊ¡ÃÕ¹à¾×èÍÇÔà¤ÃÒÐËì»ÃÔÁÒ³¹éÓµÒÅã¹àÅ×Í´

-

¡ÒÃµÃÇ¨ÇÑ´ E.coli â´Â´ÕàÍ¹àÍäºâÍà«¹à«ÍÃì

-

¡ÒÃÇÔà¤ÃÒÐËì»ÃÔÁÒ³ÂÒ»ÃÒºÈÑµÃÙ¾×ªâ´Âäºâíà«¹à«ÍÃì·Ò§à¤ÁÕä¿¿éÒ

-

¡ÒÃµÃÇ¨ÇÔà¤ÃÒÐËìàª×éÍ Salmonella sp.·Õè¤ÇÒÁäÇÊÙ§

2. ¡ÒÃ»ÃÑº»ÃØ§ÍÔàÅç¡â·Ã´ÊÓËÃÑº¡ÒÃÇÔà¤ÃÒÐËì·Ò§à¤ÁÕä¿¿éÒ

-

¡ÒÃà¾ÔèÁÊÑ--Ò³ ¡ÒÃµÃÇ¨ÇÑ´ÊÒÃ»ÃÐ¡Íº¿Õ¹ÍÅ´éÇÂµÑÇ·ÓÅÐÅÒÂâ¹âµÃàº¹«Õ¹à¤Å×Íº¤ÒÃìºÍ¹¹Òâ¹·Ù»Êì

-

¡ÒÃÃÇÁ¡Ñ¹¢Í§Í¹ØÀÒ¤à§Ô¹ áÅÐ¤ÒÃìºÍ¹¹Òâ¹·Ù»ÊìÃÐ´Ñº¹Òâ¹àÁµÃ à¾×èÍ¡ÒÃµÃÇ¨ÇÑ´àªÔ§à¤ÁÕä¿¿éÒ

-

à¤ÁÕä¿¿éÒáÐà¤ÁÕµÑÇàÃè§¢Í§â¤Ã§ÊÃéÒ§ÃÐ´Ñº¹Òâ¹ ·Õè»ÃÐ¡Íº´éÇÂ redox mediator áÅÐ¤ÒÃìºÍ¹¹Òâ¹·Ù»Êì à¾×èÍ¡ÒÃ»Â

-

¡ÒÃÈÖ¡ÉÒÊÁºÑµÔ·Ò§à¤ÁÕä¿¿éÒ¢Í§á¤»ä««Ô¹ áÅÐ¡ÒÃ»ÃÐÂØ¡µìãªéã¹àªÔ§à«¹à«ÍÃì

3. ¡ÒÃ¾Ñ²¹Òà·¤¹Ô¤¡ÒÃÇÔà¤ÃÒÐËì·Ò§à¤ÁÕä¿¿éÒ

-

¡ÒÃÇÔà¤ÃÒÐËìàªÔ§ÀÒ¾áÅÐ¨Å¹ìÈÒÊµÃì¢Í§¡ÒÃà¡Ô´ÍÔàÅç¡â·Ã´¿ÒÇÅÔ§·ÕèÍ¹ØÀÒ¤¤ÐµÐÅÔÊµì¢¹Ò´¨ØÅÀÒ¤áÅÐ¹Òâ¹â´Â S

-

¡ÒÃÇÔà¤ÃÒÐËì»ÃÔÁÒ³¹éÓµÒÅ«Ùâ¤ÃÊáÅÐ¿Õ¹ÍÅâ´Âà·¤¹Ô¤ Pulsed Electrochemical Detection

ºØ¤ÅÒ¡Ã

-

ÃÈ.´Ã. ÇÕÃÐÈÑ¡´Ôì ÊØÃÐàÃ×Í§ªÑÂ

-

´Ã.ÁÔ··ÃÒ¹ â«ÁÒ«Ñ¹´ÃÑÁ

-

´Ã.¾Ã¾ÔÁÅ ÈÃÕ·Í§¤Ó

-

´Ã.¾Ã·Ô¾Âì â¤éÇ¹ÄÁÔµÃ

-

´Ã.ÊØ¡Ñ--Ò á«èàÍÕëÂÇ

-

´Ã. ¾ÃÃÉÁ³±ì ÃÔ¨ÔÃÇ³Ôª

-

´Ã. ÃØè§·ÔÇÒ ¾ÅÑ§ÊÑ¹µÔ¡ØÅ

-

¹Ò§ÊÒÇ¨µØ¾Ã ¾Ò¹·Í§

-

¹Ò§ÊÒÇ¡ÄÉ³¾Ã ª×è¹ÃÑ§ÊÔ¡ØÅ

-

¹Ò§ÊÒÇÊÔÃÔÁÒÅÂì §ÒÁª¹Ð

-

¹ÒÂÇªÔÃÒ ªÑÂÇÃ³ì

§Ò¹ºÃÔ¡ÒÃ

-

ãËé¤Ó»ÃÖ¡ÉÒ·ÑèÇä»´éÒ¹à«¹à«ÍÃì㤹ÁÕáÅÐªÕÇÀÒ¾

-

à¤Ã×èÍ§Á×ÍÇÔà¤ÃÒÐËì·Ò§à¤ÁÕä¿¿éÒ

-

ÊÑÁÁ¹ÒáÅÐ½Ö¡Í ºÃÁ

-

½Ö¡Í ºÃÁÃÐÂÐÊÑé¹ (2 ÊÑ»´ÒËì – 1 à´×Í¹)

¼Å§Ò¹à¼Âá¾Ãèã¹ÇÒÃÊÒÃÃÐ´Ñº¹Ò¹ÒªÒµÔ

-

Somasundrum, M., Kirtikara, K.,Tanticharoen,M. Amperometric determination of hydrogen peroxide by direct and catalytic reduction at a copper electrode. Analytica Chimica Acta 319 (1996) 59-70.

-

Somasundrum, M, Tanticharoen M., Kirtikara, K. H 2 O 2 from an oxidase enzyme can be detected cathodically using metal microparticles dispersed in a polymeric film electrode. Journal of Electroanalytical Chemistry 407 (1996) 247-251.

-

Somasundrum, M., Tongta, A., Tanticharoen, M., Kirtikara, K. A kinetic model for the reduction of enzyme-generated H 2 O 2 at a metal-dispersed conducting polymer film. Journal of Electroanalytical Chemistry 440 (1997) 259-264.

-

Kiattipoomchai, M., Somasundrum, M., Tanticharoen, M., Kirtikara, K. Measurement of sulfite using oxide-coated copper electrodes. The Analyst 123 (1998) 2017-2019.

-

Surareungchai, W., Worasing, S., Sritongkum, P., Tanticharoen, M., Kirtikara, K. “Dual electrode signal-subtracted biosensor for simultaneous flow injection determination of sucrose and glucose,” Analytica Chimica Acta 380 (1999) 7-15.

-

Arjsiriwat, A., Tanticharoen, M., Kirtikara, K., Aoki, K., Somasundrum, M. Metal-dispersed conducting polymer-coated electrode used for oxidase-based biosensors. Electrochemical Communications 2 (2000) 441-444.

-

Surareungchai, W., Kasiwat, D. “ Electroanalysis of tert -butylhydroquinone in edible oil at a Nafion-coated probe,” Electroanalysis 12 (2000) 1124-1129.

-

Surareungchai, W., Deepunya, W., Tasakorn, P. “Quadruple-pulsed amperometric detection for simultaneous flow injection determination of glucose and fructose” Analytica Chimica Acta 448 (2001) 215-220.

-

Suriyawattanakul L., Surareungchai W., Sritongkam P., Tanticharoen M., Kirtikara K.“The use of co-immobilization of Trichosporon cutaneum and Bacillus licheniformis for a BOD sensor” Apply Microbioogy. Biotechnology 59 (2002) 40-44.

-

Na Nakorn, P., Suphantharika, M., Udomsopagit, S., Surareungchai, W. “ Poly(vinylferrocene)-Polyethylene Glycol Glutamate Oxidase Electrode for Determination of L-Glutamate in Commercial Soy Sauces” World J ournal of Microbiol ogy Biotechnol y 19 (2003) 479-485.

-

Phanthong, C., Somasundrum, M. The steady state current at a microdisk biosensor. Journal of Electroanalytical Chemistry 558 (2003) 1-8.

-

Wiyaratn, W., Somasundrum, M., Surareungchai, W. “Electrochemical reduction of monochlorinated hydrocarbons at a hydrophobic Zn/PTFE composite-electroplated Zn electrode in a binary solvent” Electroanalysis 15 (2003)1719-1722.

-

Wiyaratn, W. Somasundrum, M., Surareungchai, W. “Voltammetric Sensor for General Purpose Organohalide

Detection at Picogram per Liter Concentrations Based on a Simple Collector-Generator Method. Analytical Chemistry 76 (2004) 859-862.

-

Loetanantawong, B., Suracheep, C., Somasundrum, M., Surareungchai, W. “Electrocatalytic Tetracycline Oxidation at a Mixed-Valent Ruthenium Cyanide-Modified Glassy Carbon Electrode and Determination of Tetracyclines by Liquid Chromatography with Electrochemical Detection” Analytical Chemistry. 76 (2004) 2266-2272.

-

Ngamchana, S., Surareungchai, W., “Sub-millimolar determination of formalin by pulsed amperometric detection” Anal ytica Ch imica Acta 510 (2004) 195-201.

-

Rijiravanich, P ., Aoki , K., Chen, J., Surareungchai, W., Somasundrum, M., “ Electrode reactions of catechol at tyrosinase-immobilized latex suspensions” Electroanalysis 16 (2004) 605-611.

-

Wiyaratn, W. Somasundrum, M., Surareungchai, W. “Voltammetric dectection of organohalides by redox catalysis: improved sensitivity by immobilisation within a cubic phase liquid crystal” The Analyst , 130 (2005) 626-631 .

-

Wiyaratn, W., Hrapovic, S., Liu, Y., Surareungchai, W. , Luong, J.H.T., “Light-assisted synthesis of Pt-Zn porphyrin nanocomposites and their use for electrochemical detection of organohalides” Analytical Chemistry 77 (2005) 5742-5749 .

-

Rijiravanich, P., Aoki, K., Chen, J., Surareungchai, W., Somasundrum, M. “Micro-cylinder biosensors for phenol and catechol based on layer-by-layer immobilisation of tyrosinase on latex particles: Theory and experiment.” Journal of Electroanalytical Chemistry 589 (2006) 249-258.

-

Punbusayakul, N., Talapatra, S., Ci, L., Surareungchai, W., Ajayan, P.M. “Double-walled carbon nanotube electrodes for electrochemical sensing” Electrochemical and Solid State Letters 10 (2007) F13-F15.

-

Punbusayakul, N., Talapatra, S., Ci, L., Surareungchai, W., Ajayan, P.M. “Comparison of edge plane pyrolytic graphite and novel carbon nanotubes architectures electrochemical properties” Nanoscience and Nanotechnology (In Press)