Fungal Biotechnology Laboratory

ËéÍ§»®ÔºÑµÔ¡ÒÃà·¤â¹âÅÂÂÕªÕÇÀÒ¾´éÒ¹ÃÒ

(Fungal Biotechnology Laboratory)

»ÃÐÇÑµÔ

ËéÍ§»¯ÔºÑµÔ¡ÒÃà·¤â¹âÅÂÂÕªÕÇÀÒ¾´éÒ¹ÃÒ ä´éÁØè§à¹é¹ÈÖ¡ÉÒ¡ÒÃãªé»ÃÐâÂª¹ì¨Ò¡¨ØÅÔ¹·ÃÕÂìã¹¡ÅØèÁÂÕÊµìáÅÐÃÒ·Õè
compound) ä´éá¡è ÊÒÃã¹¡ÅØèÁ polyketides non-ribosomal peptides áÅÐ¡Ã´ä¢ÁÑ¹¨Óà»ç¹ã¹¡ÅØèÁâÍàÁ¡éÒ 3 áÅÐ 6 â´ÂÍÒÈÑÂ
(Systems Biology) «Ödè§à»ç¹¡ÒÃ·Ó§Ò¹ÃèÇÁ¡Ñ¹ÃÐËÇèÒ§ÍÒ¨ÒÃÂìáÅÐ¹Ñ¡ÇÔ¨ÑÂ·ÕèÁÕ¤ÇÒÁàªÕèÂÇªÒ-ã¹ÊÒ¢ÒµèÒ§æ·Ñé§â
à¾×èÍà¾ÔèÁ¢Õ´¤ÇÒÁÊÒÁÒÃ¶ã¹¡ÒÃá¢è§¢Ñ¹¢Í§»ÃÐà·È´éÒ¹à·¤â¹âÅÂÕªÕÇÀÒ¾áÅÐµíºÊ¹Í§¤ÇÒÁéÍ§¡ÒÃ¢Í§ÀÒ¤ÍØµÊÒË¡Ã

ÇÑµ¶Ø»ÃÐÊ§¤ì

-

à¾×èÍÈÖ¡ÉÒ¡ÃÐºÇ¹¡ÒÃ¡ÒÃÊÑ§à¤ÃÒÐËìÊÒÃÍÍ¡Ä·¸Ôì·Ò§ªÕÇÀÒ¾¨Ò¡ÃÒ ä´éá¡èÊÒÃã¹¡ÅØèÁ microbial oils , polyketide áÅÐ
â´ÂÍÒÈÑÂà·¤â¹âÅÂÕ·Ò§´éÒ¹Í³ÙªÕÇÇÔ·ÂÔªÑé¹ÊÙ§ àªè¹ Systems biology, Bioinformatics, Metabolic engineering áÅÐ Combina
à¾×èÍ»ÃÑº»ØÃ§ÊÒÂ¾Ñ¹¸ØìáÐ¡ÒÃ¼ÅÔµÊÒÃ·ÕèÁÕ»ÃÐâÂª¹ì ·Ò§´éÒ¹à·¤â¹âÅÂÕªÕÇÀÒ¾ â´Â¨ØÅÔ¹·ÃÕÂì·Õè¹ÓÁÒ·Ó¡ÒÃ
áÅÐÂÕÊµì Saccharomyces cereiviae , Hansenula polymorpha

-

à¾×èÍ¾Ñ²¹ÒÃÒáÅÐÂÕÊµìà»ç¹à«ÅÅìà¨éÒºéÒ¹ã¹¡ÒÃÊÑ§à¤ÃÒÐËì Heterologous protein, Unnatural áÅÐ Natural product

-

¶èÒÂ·Í´à·¤â¹âÅÂÕ¡ÒÃÊÑ§à¤ÃÒÐËìÊÒÃÍÍ¡Ä·¸ÔìªÕÇÀÒ¾¢Í§ÃÒ¨Ò¡Ëéí§»¯ÔºÑµÔ¡ÒÃÊÙèÀÒ¤ÍØµÊÒË¡ÃÃÁ·Õèà¡ÕèÇ¢éÍ§

§Ò¹ÇÔ¨ÑÂ·Õè´Óà¹Ô¹¡ÒÃ

1. Microbial fatty acid and lipid metabolisms

-

¡ÒÃÈÖ¡ÉÒ¡ÒÃ¤Çº¤ØÁ¡ÒÃÊÑ§à¤ÃÒÐËì¡Ã´ä¢ÁÑ¹ã¹ÃÒ M. rouxii ÀÒÂãµé¡ÒÃà»ÅÕèÂ¹á»Å§»Ñ¨¨ÑÂ·Ò§¡ÒÀÒ¾µèÒ§æ

-

¡ÒÃÈÖ¡ÉÒ¤ÇÒÁÊÑÁ¾Ñ¹¸ìÃÐËÇèÒ§â¤Ã§ÊÃéÒ§áÅÐË¹éÒ·Õè¢Í§àÍ¹ä«Áì fatty acid desaturase áÅÐ elongases ¢Í§ÃÒ M. rou

-

¡ÒÃ·Ó¡ÅÒÂ¾Ñ¹¸ØìÃÒ M. rouxii à¾×èÍ»ÃÐâª¹ìµèÍ¡ÒÃÈÖ¡ÉÒ¡ÒÃ¤Çº¤ØÁ¡ÒÃÊÑ§à¤ÃÒÐËì¡Ã´ä¢ÁÑ¹áÅÐÅÔ»Ô´ã¹ÃÒ M. rou

-

¡ÒÃ¾Ñ²ÒÃÐºº¡ÒÃÊè§¶èÒÂÂÕ¹ (transformation) ã¹ÃÒ M. rouxii

-

¡ÒÃ¾Ñ²Ò¡ÒÃà¾ÒÐàÅÕéÂ§ÃÒ M. rouxii à¾×èÍ¼ÅÔµ¡Ã´á¡ÁéÒÅÔâ¹àÅ¹Ô¤

-

¡ÒÃÈÖ¡ÉÒ¡ÒÃ¤Çº¤ØÁ¡ÒÃÊÑ§à¤ÃÒÐËì¡Ã´ä¢ÁÑ¹áÅÐÅÔ»Ô´ã¹ÂÕÊµì Hansenula polymorpha

2. Bioactive compounds

-

¡ÒÃÈÖ¡ÉÒË¹éÒ·Õè¢Í§ÂÕ¹·Õèà¡ÕèÂÇ¢éÍ§¡Ñº¡ÒÃÊÑ§à¤ÃÒÐËì¢Í§ÊÒÃÅÙ¼ÊÁ PKS/NRPS ã¹ÃÒ Xylaria sp. BCC1067

-

¡ÒÃ¤é¹ËÒÂÕ¹·Õèã ªéÊÑ§à¤ÃÒÐËìÊÒÃµéÒ¹ÁÐàÃç§¨Ò¡ÃÒ Xylaria sp. â´ÂÍÒÈÑÂà·¤¹Ô¤·Ò§Í³ÙªÕÇÇÔ·ÂÒáÐªÕÇÊÒÃ Ê¹à·E

-

¡ÒÃ¤é¹ËÒÂÕ¹·ÕèÁÕÈÑ¡ÂÀÒ¾ã¹¡ÒÃÊÑ§à¤ÃÒÐËìÊÒÃ´ÃÐ´Ñº¤ÅÍàÅÊàµÍÃÍÅã¹àÅ×Í´ã¹¡ÅØèÁ polyketide ¨Ò¡ÃÒã¹¡ÅØèÁ Xyl

-

¡ÒÃÈÖ¡ÉÒ¡ÒÃáÊ´§ÍÍ¡¢Í§ÂÕ¹áÅÐ¡ÒÃ¾Ñ²Ò¡ÒÃ¼ÅÔµÊÒÃã¹¡ÅØèÁ polyketide ¨Ò¡ÃÒ Xylaria sp . ã¹ÂÕÊµì

-

¡ÒÃÈÖ¡ÉÒ¡ÒÃáÊ´§ÍÍ¡¢Í§ÂÕ¹áÅÐ¡ÒÃ¾Ñ²Ò¡ÒÃ¼ÅÔµÊÒÃã¹ÅØèÁ PKS/NRPS ¨Ò¡ÃÒ Xylaria sp . ã¹ÃÒ Aspergillus

ºØ¤¤ÅÒ¡Ã

- ÃÈ.´Ã. ÊØÀÒÀÃ³ì ªÕÇÐ¸¹ÃÑ¡Éì
- ´Ã. ¡Íº¡ØÅ àËÅèÒà·é§
- ´Ã. ÈÑ¹Ê¹ÅÑ¡É³ì ÃÑª®ÒÇ§Èì
- ¹ÒÂÍ¹ØÇÑ²¹ì àµªÐÄ·¸Ôì
- ¹Ò§³ÁÅ ÇÃ»ÃÕ´Ò
- ¹.Ê. ¨ÕÃ¹Ñ¹·ì ¡ÅèÍÁ¹ÃÒ
- ¹.Ê. ÊÁ¾ÔÈ ¨Ôµµì«×èÍ
- ¹.Ê. ÊØÀÒ¾Ã Ç§ÈìÊÒÅÕ
- ¹Ò§ÇÑ²¹Ò à¨ÕÂÁµ¹

¤ÇÒÁÃèÇÁÁ×ÍÃÐ´Ñº¹Ò¹ªÒµÔ

- Institute of Food Research, Norwich Research Park , UK .
- Department of Biology, Institute for Experimental Pathology, University of Iceland, Iceland
- Biochemie/Fachbereich Chemie, Philipps University of Marburg, Germany
- School of Biosciences , University of Westminster , UK
- Center of Microbial Biotechnology ,Technical University of Denmark , Denmark
- University of Salerno, Italy

¤ÇÒÁÃèÇÁÁ×ÍÃÐ´ÑºªÒµÔ

- ¤ÇÒÁÃèÇÁÁ×Íã¹§Ò¹ÇÔ¨ÑÂ´éÒ¹ Microbial lipid metabolism ¡ÑºËéÍ§»¯ÔºÑµÔ¡ÒÃ Microbial Fermentation, System biology and áÅÐ Bioprocess development
- ¤ÇÒÁÃèÇÁÁ×Íã¹¡ÒÃ·ÓÇÔ¨ÑÂã¹¡ÒÃ¹Ó¡´á¡ÁÁèÒÅÔâ¹àÅ¹Ô¡ä»ãªéà»ç¹ËÑÇ¼ÊÁã¹ÍÒËÒÃàÅÕéÂ§ÊÑµÇì ¡ÑºÁËÒÇÔ·ÂÒÅÑ
-

¤ÇÒÁÃèÇÁÁ×Í·Ò§ÇÔªÒ¡ÒÃ·Ò§´éÒ¹à·¤Ô¤áÅÐà·¤â¹âÅÂÕ´éÒ¹ÂÕ¹ÃèÇÁ¡ÑºËéÍ§»¯ÔºÑµÔ¡ÒÃÇÔ¨ÑÂ´éÒ¹à·¤â¹âÅÂÕ¡ÒÃ¾ÒÉ
é»ÃÐâÂª¹ì¨Ò¡Í§àÊÕÂàËÅ×ÍãªéÈÒ¡ÍØµÊÒË¡ÃÃÁ

- ¤ÇÒÁÃèÇÁÁ×Íã¹§Ò¹ÇÔ¨ÑÂ ¡ÑºÈÙ¹Âìà ªÕèÂÇªÒ-à©¾ÒÐ·Ò§´éÒ¹à·¤â¹âÅÂÕªÕÇÀÒ¾·Ò§·ÐàÅ ¤³ÐÇÔ·ÂÒÈÒÊµÃì ¨ØÌÒÅ§¡Ã
ã¹¡ÒÃ¾Ñ²ÒÍÒËÃ¾èÍáÁè¾Ñ¹¸Øì¡Øé§·ÐàÅÊÙµÃ¡Ã´ä¢ÁÑ¹äÁèÍÔèÁµÑÇÊÙ§à ªÔ§¾Ò³ÔªÂì

- ¤ÇÒÁÃèÇÁÁ×Íã¹§Ò¹ÇÔ¨ÑÂ´éÒ¹¡ÒÃÈÖ¡ÉÒ·Ò§Í³Ù¾Ñ¹¸ØÈÒÊµÃì¢Í§¡ÒÃÊÑ§à¤ÃÒÐËì¡Ã´ä¢ÁÑ¹áÅÐä¢ÁÑ¹ã¹ÂÕÊµì Hansenul

¼Å§Ò¹à¼Âá¾Ãèã¹ÇÒÃÊÒÃÃÐ´Ñº¹Ò¹ÒµÔ

- Cheevadhanarak, S., Saunders, G., Renno, D.V., Holt, G. and Flegel, T.W. 1991. Transformation of Aspergillus oryzae with a dominant selectable marker. J. Biotech. 19:117-122.

- Cheevadhanarak, S., Renno, D.V., Saunders, G., Holt, G. and Flegel, T.W. 1991. Cloning and overexpression of an alkaline protease-encoding gene from Aspergillus oryzae with a dominant selectable marker. Gene 108:151-155.

- Laoteng, K., Anjard, C., Rachadawong, S., Tanticharoen, M., Maresca, B. and Cheevadhanarak, S. 1999. Mucor rouxii D 9 -desaturase gene is transcriptionally regulated during cell growth and by low temperature. Mol. Cell Biol. Res. Commun. 1: 36-43.

- Passorn, S., Laoteng, K., Rachadawong, S., Tanticharoen, M., and Cheevadhanarak, S. 1999. Heterologous expression of Mucor rouxii D 12 -desaturase gene in Saccharomyces cerevisiae . Biochem. Biophys. Res. Commun. 263: 47-51.

- Samarntarn, W., Cheevadhanarak, S. and Tanticharoen, M. 1999. Production of alkaline protease by a genetically engineered Aspergillus oryzae U1521. J. Gen. Appl. Microbiol. 45: 99-103.

- Laoteng, K., Mannontarat, R., Tanticharoen, M. and Cheevadhanarak, S. 2000. D 6 -desaturase gene of Mucor rouxii with high similarity to plant D 6 -desaturase and its heterologous expression in Saccharomyces cerevisiae , Biochem. Biophys. Res. Commun. 279:17-22.

- Thammarongtham, C., Turner, G., Moir, A.J., Tanticharoen, M. and Cheevadhanarak, S. 2001, A new class of glutaminase from Aspergillus oryzae , Journal of Molecular Microbiology and Biotechnology, Vol. 3 no. 4: pp.611-617.

- 8. Khunyoshyeng, S., Rachadawong, S., Cheevadhanarak, S. and Tanticharoen, M. 2002. Differential expression of desaturases and changes in fatty acid composition during sporangiospore germination and development in Mucor rouxii . Fungal Genetics and Biology, 37, (1): 13-21.

- Laoteng, K. Pongchuchidthai, R., Rueksomtawin, K., Dandusitapunth, Y., Tanticharoen, M. and Cheevadhanarak, S., 2003. A Mucor rouxii mutant with high accumulation of an unusual trans-linoleic acid (9c, 12t-C18:2). FEMS Microbiology Letters, 223: 159-165.

- Laoteng, K, Ruenwai, R., Tanticharoen, M. and Cheevadhanarak, S. 2005. Genetic modification of essential fatty acids biosynthesis in Hansenula polymorpha . FEMS Microbiol. Lett. 245: 169-178.

- Na-Ranong, S., Laoteng, K., Kittakoop, P., Tantichareon, M. and Cheevadhanarak, S. 2005. Substrate specificity and preference of Delta6-desaturase of Mucor rouxii . FEBS Lett. 579: 2744-2748.

- Laoteng, K., Cheevadhanarak, S., Tanticharoen, M. and Maresca, B. 2005. Promoter analysis of Mucor rouxii delta9-desaturase: its implication for transcriptional regalution in Saccharomyces cerevisiae . Biochem. Biophys. Res. Commun. 335: 400-405.

- Amnuaykanjanasin, A, Punya, J, Poungmuang, P, Rungrod, A, Tachaleat, A, Pongpattanakitshote, S, Cheevadhanarak, S, and Tanticharoen, M. 2005. Diversity of type I polyketide synthase genes in the wood-decay fungus Xylaria sp. BCC 1067. FEMS Microbiol Lett. 251: 125-136.

- Na-Ranong, S., Laoteng, K., Kittakoop, P., Tanticharoen, M. and Cheevadhanarak, S. (2006) Targeted mutagenesis of a fatty acid delta-6 desaturase from Mucor rouxii : Role of amino acid residues adjacent to histidine-rich motif II. Biochem. Biophys. Res. Commun. 339: 1029-1034.

- Jeennor S., Laoteng, K., Tanticharoen, M., and Cheevadhanarak , S. (2006) Comparative fatty acid profiling of Mucor rouxii under different stress conditions. FEMS Microbiol. Lett., 259: 60-66.

- Poungmuang, P., Punya, J., Pongpattanakitshote, S., Jeamton, W., Vichisoonthonkul, T., Bhumiratana, S., Tanticharoen, M., Linne, U., Marahiel, M., Cheevadhanarak, S. (2007) Detection of non-ribosomal peptide synthetase (NRPS) genes in Xylaria sp. BCC1067 and cloning of XyNRPSA . , FEMS Microbiol Lett, 274:260–268

- Laoteng, K., Jitsue, S., Dandusitapunth, Y. and Cheevadhanarak, S., 2007. Ethanol-induced changes in expression profiles of cell growth, fatty acid and desaturase genes of Mucor rouxii . Fungal Genet. Biol. (In press)

- Nookaew, I. , Meechai, A., Thammarongtham, C., Laoteng, K., Ruanglek, V., Cheevadhanarak, S., Nielsen, J. and Bhumiratana, S., 2007. Identification of flux regulation coefficients from elementary flux modes: A systems biology tool for analysis of metabolic networks. Biotechnol. Bioeng. 97(6): 1535-1549.

ÊÔ·¸ÔºÑµÃ (Patents)

- Nucleotide and amino acid sequence of D 12 -desaturase of Mucor rouxii ATCC24905, Thai Patent (Filed: June 1999), Thai Patent

- Nucleotide and amino acid sequences of D 6 -desaturase gene of Mucor rouxii ATCC24905, Thai Patent (Filed: September, 2000), Thai Patent

- Nucleotide and amino acid sequences of D 6 -desaturase isoform II of Mucor rouxii ATCC 24905, (Filed: January, (2004), Thai Patent

- Development of D 6 -desaturase isoform II enzyme of Mucor rouxii involved in synthesis of essential fatty acids, gamma-linolenic and stearidonic acids by site-directed mutagenesis, Thai Patent

·ÕèÍÂÙèáÅÐµÔ´µèÍÊÍº¶ÒÁ

ËéÍ§»¯ÔºÑµÔ¡ÒÃà·¤â¹âÅÂÂÕªÕÇÀÒ¾´éÒ¹ÃÒ

Ê¶ÒºÑ¹¾Ñ²¹ÒáÅÐ½Ö¡ÍºÃÁâÃ§§Ò¹µé¹áºº

ÁËÒÇÔ·ÂÒÅÑÂà·¤â¹âÅÂÕ¾ÃÐ¨ÍÁà¡ÅéÒ¸¹ºØÃÕ

83 ËÁÙè 8 á¢Ç§·èÒ¢éÒÁ à¢µºÒ§¢Ø¹à·ÕÂ¹ ¡·Á. 10150

â·ÃÈÑ¾·ì : 02-470-7503 â·ÃÊÒÃ : 02-452-3455